

1 **35 U.S.C. § 102(e) Rejections: The Ensor Reference**

2 In paragraphs 1 and 2 of the Action, claims 1, 7-9, 14, 15, 21-23 and 28-
3 31 were rejected as being anticipated by a patent issued to Ensor, et al. (USP
4 5,721,780). Applicant respectfully disagrees, and traverses the rejection of these
5 claims.

6 **The Ensor Reference**

7 As introduced in prior responses, the Ensor reference is directed to a system
8 and method for authenticating user terminal access to a network. More
9 particularly, Ensor describes a system wherein, upon receiving a request for
10 service from a user terminal (110) (e.g., client), a transaction manager (114) at the
11 service bureau (108) (e.g., server) issues a request to a processor (124) of the
12 requesting user terminal (110) to access terminal memory (126) for an encrypted
13 password. The terminal's processor 124, upon receiving the request, accesses
14 local memory 126. If the password is available in memory 126, processor 124
15 responds to the transaction manager 114 with the password. Upon receiving the
16 response with the password, transaction manager 114 must then authenticate the
17 password before access to the service bureau is permitted (see, e.g., col. 2, lines
18 15-38; col. 4, lines 40-50; col. 5, lines 8-32; col. 5, line 54, through col. 6, line 6;
19 Figs. 1-3). In this regard, the Ensor system is illustrative of conventional prior art
20 handshaking authentication schemes, wherein upon receiving a request for service,
21 the server issues its own request *back to the requesting terminal* for further
22 information, the response to which must then be authenticated before the terminal
23 is permitted access to the server. Thus, Ensor requires a minimum of three
24 network communications (i.e., initial request, password request, password
25 response), followed by an authentication step before access to a requested resource

1 is provided. Those skilled in the art (such as Ensor) often characterize such
2 authentication systems as an authentication handshaking access scheme (see, e.g.,
3 col. 6, line 3).

4 5 **Independent Claims**

6 The claimed invention of rejected claim 1, for example, differs from the
7 password-based, authentication handshaking access scheme of the Ensor reference
8 in two fundamental respects: (1) it is not password-based, i.e., there is no
9 authentication of a password and, thus, does not require the use of a password; and
10 (2) it is does not employ authentication handshaking between multiple network
11 elements.

12 In contrast to the password-based, authentication handshaking access
13 scheme, claim 1, for example, is directed to a medium comprising a plurality of
14 instructions that, when executed, implement a method comprising:

15 checking a first memory to determine if a user
16 has previously accessed a resource on a computer
17 network upon receipt of an indication from the user to
18 access the resource; and

17 providing the user with access to the resource if
18 the first memory indicates that the user has previously
19 accessed the resource (as amended)

19 Well-established rules of claim interpretation require that, unless denoted
20 otherwise, the elements of a claim are interpreted as being performed by a single
21 entity. That is, in determining the patentability of a claim, the Office cannot assert
22 that otherwise disparate steps performed by multiple elements discloses or
23 suggests the performance of those steps by a single element, without support for
24 such integration in the reference. In this case, with no indication to the contrary,
25 the computing device executing the plurality of executable instructions fulfills

1 each of the claimed elements, i.e., checking the memory for an indication of prior
2 access, and providing the user access to the resource upon finding an indication of
3 prior access in the memory.

4 In contrast, the password-based, authentication handshake access scheme of
5 the Ensor reference is performed by at least two network elements, i.e., the user
6 terminal in concert with the service bureau. As introduced above, Ensor teaches
7 that the transaction manager 114, upon receiving a request for access, instructs the
8 requesting terminal processor 124 to access a memory 126 and, if a password is
9 found, to provide the password to the transaction manager 114 of the service
10 bureau. It is important to note that, by expressly teaching that the transaction
11 manager 114 "requests the microprocessor 124 of the terminal 110" to access the
12 memory for the password, Ensor cannot fairly be read as though the server (e.g.,
13 via the transaction manager 114) directly performs the required element of
14 "checking a first memory." The transaction manager 114 of the service bureau
15 does not check a first memory, but rather issues a request back to the processor
16 124 of the requesting terminal 110 to check the memory 126.

17 In addition to the foregoing distinction, the claimed invention of rejected
18 claim 1 is not a password-based access system and, thus, there is no need for
19 further authentication if the user has previously accessed the resource. In contrast,
20 Ensor requires authentication of every access, regardless of whether the user has
21 previously accessed the resource.

22 Well settled patent law requires that a single reference must teach each and
23 every element of a rejected claim as presented within the claim to support a §102
24 rejection. The Ensor reference fails to meet this standard. In short, the claimed
25 invention **eliminates** the "handshaking" convention described in the Ensor

1 reference altogether. In this regard, Applicant respectfully asserts that by teaching
2 the password-based, authentication handshaking access Ensor actually **teaches**
3 **away from** that which is claimed in rejected claim 1. Insofar as the Ensor
4 reference does not anticipate or even suggest that which is claimed in rejected
5 claim 1, Applicant respectfully requests that the §102(e) rejection of claim 1 be
6 withdrawn.

7 Similarly, claims 15 and 31 include elements similar to claim 1 and are,
8 therefore, patentable over the Ensor reference for arguments analogous to those
9 presented above. Accordingly, Applicant requests that the §102(e) rejection of
10 such claims be withdrawn.

11 **Dependent Claims**

12 Similarly, by virtue of at least their dependence upon patentable base
13 claims 1 and 15, as amended, Applicant respectfully submits that claims 7-9, 14,
14 21-23 and 28-30 are likewise patentable over the Brown reference by virtue of at
15 least this dependency. Accordingly, Applicant respectfully requests that the
16 §102(e) rejection of such claims be withdrawn.

17 **§103(a) Rejections: The Ensor Reference**

18 Turning to **paragraph 3** of the Action, claims 3, 4, 10-13, 17, 18, 24-27, 32
19 and 33 were rejected as being obvious in light of the Ensor reference. In response,
20 Applicant respectfully traverses the rejection of such claims.

21 Applicant respectfully submits that the Ensor reference fails to disclose or
22 suggest that which is claimed in rejected claims 1, 15 and/or 31. Indeed,
23 Applicant has shown that the password-based, authentication handshaking access
24 scheme of the Ensor reference actually teaches away from that which is claimed in
25 rejected claims 1, 15 and/or 31. Claims 3, 4, 10-13, 17, 18, 24-27, 32 and 33

1 depend from patentable base claims 1, 15 and/or 31 and are, therefore, patentable
2 over the Ensor reference based at least on this dependency.

3 In addition to the foregoing basis of patentability, certain ones of the
4 rejected claims (e.g., 3-5, 11, 17, 18 and 25) introduce the concept of a token
5 representing user(s) in the first memory. In rejecting such claims, the Action
6 indicates that a password may be represented as a token, a point which Applicant
7 has conceded. It is useful to note that a token is a simplified (e.g., compressed, a
8 subset, etc.) representation of some other information used to reduce memory
9 and/or bandwidth required to store and/or communicate such information.
10 According to one technical dictionary, the term token is defined by those skilled in
11 the art as "A basic, grammatically indivisible unit of a language such as a
12 keyword, operator or identifier" (see, e.g., Free Online Dictionary of Computing at
13 www.foldoc.org, search of Token, copyright 2/23/99). Thus, while Applicant
14 concedes that a token may well be represented as a token, it is done with the
15 understanding that the token is an indivisible representation of that password.

16 When rejecting the claimed invention, the Action argues that Ensor
17 discloses a password (i.e., token) representing a plurality of users. Applicant
18 disagrees. Rather, what Ensor teaches in col. 6, lines 10-16 is that access be
19 permitted "when passwords (tokens) are only similar or when only portions of the
20 passwords (tokens) actually match." It is noted that in Ensor a password used by
21 the accessing client is "unique" to the client. (see, e.g., col. 6, lines 7-25).
22 Applicant respectfully asserts that neither of the approaches for providing group
23 access in Ensor would work when translated to the use of tokens rather than the
24 specifically disclosed use of passwords. The first approach still emphasizes
25 different tokens for different parties, wherein if the different tokens are "similar

1 enough” then access is permitted to the network resource. The second approach,
2 wherein a portion of a password is checked, is not translatable to the token space.
3 That is, insofar as a token is a grammatically indivisible element of a language, it
4 would stand that it cannot then be parsed to examine “portions of the token”.

5 Thus, despite the characterization of the Action, Applicant respectfully
6 submits that the Ensor reference fails to disclose or suggest the use of tokens to
7 represent different parties.

8 In contradistinction, rejected claims 4, 5, 17 and 18 include the feature
9 wherein tokens represent multiple users, and/or that a token may represent
10 multiple anonymous users. Applicant respectfully asserts that by assigning a
11 unique password (or, token) to each client, the Ensor reference actually teaches
12 away from the use of a single password by a user from multiple clients. Thus,
13 Applicant respectfully submits that the Ensor reference cannot fairly be read as
14 suggesting the use of tokens in general, or the use of a single token by multiple
15 users in particular, as claimed in one or more of rejected claims 3-5, 11, 17, 18 and
16 25. Accordingly, Applicant respectfully requests that the §103(a) rejection of such
17 claims be withdrawn.

18
19 **§103(a) Rejections: The Ensor and Teper References**

20 Turning to **paragraph 4** of the Action, claims 5, 19 and 20 were rejected as
21 being obvious over the Ensor reference in light of a patent issued to Teper, et al.
22 (USP 5,815,665). In response, Applicant respectfully traverses the rejection of
23 such claims.

24 Without the need to further characterize the Teper reference, Applicant
25 respectfully asserts that the combination of the Ensor and Teper references fails to

1 disclose or suggest that which is claimed in rejected claims 1 and 15. Moreover,
2 Applicant respectfully reserves the right to swear behind the Teper reference (in
3 accordance with Rule 131), should the rejection of such claims be maintained.

4 Applicant respectfully asserts that claims 5, 19 and 20 are dependent on
5 patentable claims 1 and 15, as amended. Accordingly, by virtue of at least their
6 dependency on patentable base claims 1 and 15, as amended, Applicant
7 respectfully requests that the §103(a) rejection of claims 5, 19 and 20 be
8 withdrawn.

9
10 **§103(a) Rejections: The Ensor and Brown References**

11 Turning to **paragraph 5** of the Action, claims 11 and 25 were rejected as
12 being obvious over the Ensor reference in light of a patent issued to Brown, et al.
13 (USP 5,941,947). In response, Applicant respectfully traverses the rejection of
14 such claims.

15 Without the need to further characterize the Brown reference, Applicant
16 respectfully asserts that the combination of the Ensor and Brown references fails
17 to disclose or suggest that which is claimed in rejected claims 1 and 15.

18 Applicant respectfully asserts that claims 11 and 25 are dependent on
19 patentable claims 1 and 15, as amended. Accordingly, by virtue of at least their
20 dependency on patentable base claims 1 and 15, as amended, Applicant
21 respectfully requests that the §103(a) rejection of claims 11 and 25 be withdrawn.

22
23 **§103(a) Rejections: The Ensor Reference in light of APA**

24 Turning to **paragraph 6** of the Action, claims 32 and 33 were rejected as
25 being obvious over the Ensor reference in light of a Applicant's Admitted Prior

1 Art (APA). In response, Applicant respectfully traverses the rejection of such
2 claims.

3 Without the need to further characterize the Statement of the Problem of the
4 Application cited as APA, Applicant respectfully asserts that the combination of
5 the Ensor reference and the APA fail to disclose or suggest that which is claimed
6 in rejected claims 31.


7 Applicant respectfully asserts that claims 32 and 33 are dependent on
8 patentable claim 31. Accordingly, by virtue of at least their dependency on
9 patentable base claim 31, Applicant respectfully requests that the §103(a) rejection
10 of claims 32 and 33 be withdrawn.

11
12 **Conclusion**

13 Claims 1, 3-5, 7-15 and 17-33 are in condition for allowance. Applicant
14 respectfully requests reconsideration and issuance of the subject application.
15 *Should any matter in this case remain unresolved, the undersigned attorney*
16 *respectfully requests a telephone conference with the Examiner to resolve any*
17 *such outstanding matter.*

18
19 Respectfully Submitted,

20
21 Date: January 3, 2001

22 By: 
23 Michael A. Proksch
24 Reg. No. 43, 021
25 (509) 324-9256 (x 17)